VARYTEC

User’s manual

Windmachine

Table of content

1. Safety instructions 3
2. Introduction 4
3. Unpacking & Checking Carton Contents 4
4. Features & Operation 4
5. Setting the ventilation position 4
6. Technical Data 5

1. Safety instructions

FOR SAFE AND EFFICIENT OPERATION

Be careful with heat and extreme temperatureAvoid exposing it
to direct rays of the sun or near a heating appliance.
Not put it in a temperature bellow 41°F /5°C, or exceeding 95°F /35°C.

Keep away from humidity, water and dust
Do not place the set in a location with high humidity or lots of dust.
Containers with water should not be placed on the set.

Keep away from sources of hum and noise
Such as transformer motor, tuner, TV set and amplifier.

To avoid placing on un-stable location
Select a level and stable location to avoid vibration.

Do not use chemicals or volatile liquids for cleaning
Use a clean dry cloth to wipe off the dust, or a wet soft cloth for stubborn dirt.

If out of work, contact sales agency immediately
Any troubles arose, remove the power plug soon, and contact with an engineer for repairing,
do not open the cabinet by yourself, it might result a
danger of electric shock.

Take care with the power cable
Never pull the power cable to remove the plug from the receptacle, be sure
to hold the plug. When not using the player for an extended period of time
be sure to disconnect the plug from the receptacle.

2. Introduction

The PB-1200 blower is designed to move large volumes of air. It can either be used to dry wet carpets, floors and furniture, even the hard to reach; or provide moisture control and even excellent air circulation.

3. Unpacking & Checking Carton Contents

Carefully unpack and check your air blower. If any parts are damaged or missing, please call your local dealer.

4. Features & Operation

Level the blower out of the carton and pull off the protective plastic bag. With a soft cloth remove the packing lint if any. Uncoil the power cord then, connect the plug to an appropriate outlet. Your blower is ready to use.
Just place the blower in the desired operating position (see below).

Warning:
To move the blower does grasp the handle. Do not yank on the cord to avoid any electric shock and/or damage.

This blower has two speed, as seen in figure1.

Figure 1

CAUTION: Do not immerse this blower in water, as it can cause electrical shock.

Turning the Blower on
To turn the blower on, just press the rocker switch to the High (II) or the Low (I)
To turn it off, just put the switch to the Off (0) position.

5. Setting the ventilation position

The blower is designed to work on three positions: 0°, 45° & 90° (fig. 2, 3 & 4).

Figure 2

Figure 3

Figure 4

Cord wrap

Maintenance

1. Inspect the electrical cord and the wiring for damage or discoloration.
2. Clean screens on the side and the front of the unit.
3. Listen for abnormal sounds.
4. Keep the unit clean.
5. Make sure the ground pin or grounding prong is intact or the blower will be unsafe to operate.

Periodic Maintenance

Use compressed air or vacuum to remove lint, dust etc, from motor, screens or blower wheel. Do not use a pressure washer to clean the unit.

Trouble Shooting

PROBLEM	POSSIBLE CAUSE	SOLUTION
Unit does not run	◆ Switch not turned on ◆ Switch broken ◆ Plug damaged ◆ Loose wiring ◆ Power cord damaged	● Turn on switch ● Replace switch ● Replace Plug ● Check wiring, tighten if needed ● Replace power cord
Unit runs briefly and shuts off	● Grills obstructed ● Motor bearing/wiring faulty	● Clean grills ● Replace motor

PRECAUTION: Always consult a professional technician, qualified electrician or your dealer for accessing the internal of the unit.

6. Technical Data

Airflow (CFM)	**H- 841(CFM)**
	L- 722(CFM)
Speed (M/S)	**H- 7.054 (M/S)**
	L- 6.055 (M/S)
Power	**120V/60Hz, 230V/50Hz**
Housing	**Polyethylene**
Pos Angle	**0, 45, 90 °**
Stackable	**Yes**
Powerwire	**7 Meters**
Measurement	**37.5x40x47 (cm)**
Weight	**11,48 kg**
Guarantee	**1 year**
Motor	**1/3 Hp with 2 Speeds**
certificate	**TUV/GS/CE/RoHS**

Importeur:

B & K Braun GmbH

Industriestraße 1

D-76307 Karlsbad

www.bkbraun.com

info@bkbraun.com